

# **RS-62 II**



#### SURROUND SPEAKER WITH ELEGANT FINISH

Matte black vinyl

#### **DUAL TRACTRIX® HORNS**

Align together for a 180-degree coverage pattern

#### WDST™ (WIDE DISPERSION SURROUND TECHNOLOGY)

Provides maximum surround coverage and placement flexibility

#### TITANIUM DIAPHRAGM COMPRESSION DRIVER (TWEETER)

Produces the most detailed high frequencies

#### **LINEAR TRAVEL SUSPENSION**

Minimizes distortion

### **CERAMETALLIC™ CONE WOOFERS**

Ensure tight musical bass

#### **QUAD SIDE-FIRING PORTS**

Create exceptional bass performance

## KLIPSCH BELIEVES FOUR PRINCIPLES TO BE THE FOUNDATION FOR GREAT SOUND:

- HIGH EFFICIENCY: Every Klipsch speaker is horn-loaded because the horn shape is perfect for accurate and dynamic sound transmission. Greater efficiency means lower distortion which means maximum realism.
- DYNAMIC RANGE: Klipsch horn technology reproduces the softest sounds with remarkable clarity and detail and the loudest sounds with no harshness or distortion. That's what's known as the best of both worlds.
- CONTROLLED DIRECTIVITY: Unique Klipsch horn technology means speakers that more accurately direct sound. The result is a more lifelike soundstage and way more "Whoa - Did you hear that?"
- FLAT FREQUENCY RESPONSE: We believe in delivering exactly the sound artists intend. Hence, Klipsch's stunningly accurate speakers – with no unnatural highs, mids or lows.

SPECIFICATIONS	RS-62 II
Frequency Response	50Hz-24KHz ± 3dB
Power Handling	150W RMS / 600W Peak
Sensitivity	97dB @ 2.83V / 1m
Nominal Impedance	8 ohms compatible
High Frequency Drivers	Dual 1" (2.54cm) Titanium diaphragm compression drivers mated to 90° x 60° square Tractrix® Horns
High Frequency Crossover	1300Hz
Low Frequency Drivers	Dual 6.5" (16.5cm) Cerametallic™ cone woofers
Inputs	Single binding posts
Enclosure Type	Bass-reflex via quad side-firing ports
Height	15" (38.1cm)
Width	16.3" (41.5cm)
Depth	9.2" (23.4cm)
Mounting	Keyhole bracket and quad 1/4"-20 threaded inserts
Weight	22.7lbs (10.3kg)
Finish	Matte Black vinyl
Built From	2010